



#### MaritimeWoodcraft

H.C. Christensensvej 2 · 5960 Marstal · Ærø · Denmark Telephone: +45 62 53 21 27 · Mobil: +45 30 34 30 18 jacobsen@skibsblokke.dk · maritimewoodcraft.com

Cvr-nr. 34476896



## MaritimeWoodcraft

#### 140 YEARS OF CRAFTSMANSHIP

The company was founded by H. J. Jacobsen back in 1870 at the port of Svendborg.

Back then skilled craftsmen carefully crafted every block, wheel, mallet, reel, cleat, step etc. with emphasis on safety and high quality.

Today things are still handmade and our expertise is based on the knowledge of many generations.

Until 2014 MaritimeWoodcraft was known under the name *H. J. Jacobsen's Successor*. A family driven manufacturer known internationally. Today we are located in the little maritime town Marstal near Svendborg.

#### TRADITIONAL CRAFTSMANSHIP IN A MODERN CONTEXT

A part of our business has always been the ability to make custom solutions for classic ships. MaritimeWoodcraft has supplied the Danish royal yacht Dannebrog , Georg Stage , Fulton , Fregatten Jylland and many others.

Some of the world's largest container ships from MAERSK are controlled with steering wheels from MaritimeWoodcraft.

# Wooden Ship Blocks

Robust blocks, made from first-class ash wood as single, double or triple blocks. These blocks have been produced more or less unaltered for working ships and gaffers since 1870.

The housings are copper-riveted, and the fittings have a solid and long-lasting galvanization.


The standard blocks come varnished or unfinished, so they can be finished to match the color scheme of the boat.

The sheaves are made from high-strength reinforced nylon and run on stainless steel axis bolts, that in sizes 4"-7" have a patented safeguard against unscrewing.

These blocks conform to standards set by *Lloyds Register of Shipping* and *Bureau Veritas*.

The working load limit (WLL) is factor 5 of the given breaking load (BRL).






### Ship's Blocks of ash wood with galvanized strapfittings and reinforced nylon sheaves



| BLOCK | SINGLE     | SINGLE<br>W/BECKET | DOUBLE     | DOUBLE<br>W/BECKET | TRIPLE     | TRIPLE<br>W/BECKET |
|-------|------------|--------------------|------------|--------------------|------------|--------------------|
| 3,"   | 331/44,5   | 375/50             | 403/54,0   | 446/60,0           | 702/94,0   | 745/99,5           |
| 3,5"  | 343/46,0   | 387/52             | 414/55,5   | 460/61,5           |            |                    |
| 4"    | 400/53,5   | 455/61             | 570/7,06   | 591/79,0           | 895/120,0  | 975/130,0          |
| 4.5"  | 458/61,5   | 501/67             | 615/82,5   | 672/90,0           |            |                    |
| 5"    | 502/67,5   | 561/75             | 711/95,5   | 768/103            | 1219/163,5 | 1271/170,0         |
| 6"    | 667/89,5   | 745/100            | 961/129,0  | 1033/138,5         | 1573/211,0 | 1647/221,0         |
| 7"    | 803/107,5  | 902/121            | 1167/156,5 | 1251/167,5         | 1846/247,5 | 1932/259,0         |
| 8"    | 918/123,0  | 1029/138           | 1350/181,0 | 1458/195,5         | 2156/289,0 | 2260/303,0         |
| 9"    | 1047/140,0 | 1167/156           | 1668/223,5 | 1799/241,0         | 2444/327,5 | 2569/343,0         |
| 10"   | 1182/158,5 | 1328/178           | 1742/233,5 | 1884/253,0         | 2720/364,0 | 2864/3840,0        |

| Ship's Block | Ship's Blocks of ash wood with stainless steel strapfittings and reinforced nylon sheaves |        |           |            |                    |            |                    |            |                    |
|--------------|---|--------|-----------|------------|--------------------|------------|--------------------|------------|--------------------|
| 0            |   |        | BLOCK     | SINGLE     | SINGLE<br>W/BECKET | DOUBLE     | DOUBLE<br>W/BECKET | TRIPLE     | TRIPLE<br>W/BECKET |
|              | <b>A</b> P.   |        | 3"        | 429/57,5   | 485/65,0           | 526/70,5   | 580/78,0           | 909/122,0  | 966/129,5          |
|              |   |        | 3,5"      | 430/57,5   | 443/59,0           | 536/72,0   | 598/80,0           |            |                    |
|              |   |        | 4"        | 522/70,0   | 589/79,0           | 702/94,0   | 767/103,0          | 1162/156,0 | 1228/164,0         |
|              |   |        | 4,5"      | 547/73,0   | 652/87,5           | 802/107,0  | 872/116,0          |            |                    |
| SINGLE       | 411   | 5"     | 654/87,5  | 727/97,5   | 923/123,5          | 998/133,5  | 1584/212,5         | 1654/222,0 |                    |
|              |   | 6"     | 868/116,0 | 968/130,0  | 1237/166,0         | 1348/180,0 | 2044/274,0         | 2141/287,0 |                    |
|              | DOUBLE  |        | 7"        | 1045/140,0 | 1168/156,5         | 1512/203,0 | 1627/218,0         | 2398/321,0 | 2513/336,0         |
|              |   |        | 8"        | 1198/160,5 | 1340/179,0         | 1750/234,0 | 1895/254,0         | 2798/375,0 | 3265/437,0         |
|              |   |        | 9"        | 1360/182,0 | 1519/203,5         | 2168/290,0 | 2335/313,0         | 3175/425,5 | 3340/447,5         |
|              |   | TRIPLE | 10"       | 1541/206,5 | 1724/231,0         | 2263/303,0 | 2446/328,0         | 3530/473,0 | 3721/499,0         |





#### Strop Blocks of ash wood with nylon sheaves




| BLOCK | SINGLE     | DOUBLE     | TRIPLE     |
|-------|------------|------------|------------|
| 3"    | 270/36,0   | 337/45,0   |            |
| 3,5"  | 276/37,0   | 375/50,0   |            |
| 4"    | 316/42,0   | 459/61,5   |            |
| 4,5"  | 359/48,0   | 536/72     |            |
| 5"    | 380/51,0   | 603/81,0   |            |
| 6"    | 543/73,0   | 843/113,0  |            |
| 7"    | 661/88,5   | 969/130,0  |            |
| 8″    | 644/86,0   | 1170/157,0 |            |
| 9"    | 848/113,5  | 1349/180,0 | 1933/259,0 |
| 10"   | 826/111,0  | 1463/196,0 | 2193/294,0 |
| 12"   | 2650/355,0 | 3450/462,0 | 4000/536,0 |
| 16"   | 3200/429,0 |            |            |


| Ash wood Fiddle-Blocks with galvanized strapfittings and nylon sheaves |             |       |                   |                |  |
|--|-------------|-------|-------------------|----------------|--|
| WITHOUT BECKET   | 0           | BLOCK | WITHOUT<br>BECKET | WITH<br>BECKET |  |
|  |             | 4"    | 1183/158,5        | 1245/167,0     |  |
|  |             | 5"    | 1249/167,5        | 1316/176,5     |  |
|  | A 14        | 6"    | 1352/181,0        | 1432/192,0     |  |
|  | WITH BECKET | 7"    | 1916/257,0        | 2007/269,0     |  |
|  | W           | 8"    | 3166/424,0        | 3281/440,0     |  |












| Wood         | Wooden Cringles (mm) |               |   |                    |          |  |
|--------------|----------------------|---------------|---|--------------------|----------|--|
| DIAM.<br>(C) | (                    | GROOVE<br>(B) |   | DRILL DIAM.<br>(A) | PRICE    |  |
| 25           | Χ                    | 6             | Х | 8                  | 127/16,5 |  |
| 35           | Χ                    | 8             | X | 12                 | 158/21,0 |  |
| 45           | Χ                    | 11            | Х | 16                 | 199/26,5 |  |
| 55           | Χ                    | 13            | Х | 20                 | 233/31,0 |  |
| 65           | Χ                    | 14            | X | 24                 | 276/37,0 |  |
| 75           | Χ                    | 18            | Χ | 28                 | 331/44,5 |  |
| 85           | Χ                    | 20            | X | 32                 | 391/52,0 |  |
| 95           | Χ                    | 22            | Х | 36                 | 490/65,0 |  |
| 100          | Χ                    | 24            | Х | 40                 | 631/84,5 |  |




| Ash wood sheet strop with nylon sheaves |              |            |  |  |
|---|--------------|------------|--|--|
| BLOCK<br>SINGLE                         | ROPE<br>SIZE | PRICE      |  |  |
| 3"                                      | 8            | 331/44,5   |  |  |
| 4"                                      | 12           | 397/52,0   |  |  |
| 5"                                      | 14           | 493/66,0   |  |  |
| 6"                                      | 16           | 573/77,0   |  |  |
| 7"                                      | 18           | 768/103,0  |  |  |
| 8"                                      | 20           | 887/119,0  |  |  |
| 9"                                      | 22           | 1298/174,0 |  |  |
| 10"                                     | 24           | 1745/234,0 |  |  |



| Bull's Eye (mr | n)                |          |
|----------------|-------------------|----------|
| LENGTH<br>(A)  | DRILL DIAM<br>(B) | PRICE    |
| 1"             | 8                 | 45/6     |
| 1,25"          | 9                 | 54/7     |
| 1,5"           | 10                | 59/7,5   |
| 1,75"          | 11                | 66/8,5   |
| 2"             | 12                | 71/10    |
| 2,25"          | 13                | 78/10,5  |
| 2,5"           | 14                | 93/12,5  |
| 2,75"          | 15                | 108/14,5 |
| 3"             | 16                | 125/16,5 |




| Jacobsladder Steps |        |  |
|--------------------|--------|--|
| (mm)               | PRICE  |  |
| 40 Ø x 410         | 56/8,5 |  |
| 40 Ø x 550         | 60/9,0 |  |



| Belayin  | Belaying Pin Ash           |          |  |  |  |  |
|----------|----------------------------|----------|--|--|--|--|
| LENGHT A | AND BREAST-MEASUREMENT (B) | PRICE    |  |  |  |  |
| 8" x     | 5/8"                       | 117/15,5 |  |  |  |  |
| 10" x    | 3/4"                       | 125/16,5 |  |  |  |  |
| 12" x    | 7/8"                       | 153/20,5 |  |  |  |  |
| 13" x    | 1"                         | 166/22,0 |  |  |  |  |
| 14" x    | 1 1/8"                     | 176/23,5 |  |  |  |  |
| 15" x    | 1 1/4"                     | 189/25,0 |  |  |  |  |



| Deadeyes Ash Wood         |                 |             |           |  |  |
|---------------------------|-----------------|-------------|-----------|--|--|
|                           | DRILL DIAM (mm) | GROOVE (mm) | PRICE     |  |  |
| 3"Ø x 1,5"                | 12              | 14          | 350/47,0  |  |  |
| $4''\emptyset \times 2''$ | 14              | 16          | 398/53,0  |  |  |
| 5"Ø x 2,5"                | 18              | 20          | 439/59,0  |  |  |
| 6"Ø x 3"                  | 22              | 24          | 472/63,0  |  |  |
| 7"Ø x 3,5"                | 26              | 28          | 582/78,0  |  |  |
| 8"Ø4"                     | 30              |             | 795/106,5 |  |  |



| Cleats, Ash Wood |          |  |
|------------------|----------|--|
| (A)              | PRICE    |  |
| 4,5"             | 124/15,0 |  |
| 5"               | 125/15,0 |  |
| 6"               | 133/18,0 |  |
| 8"               | 146/19,5 |  |
| 10"              | 178/24,0 |  |
| 12"              | 212/28,5 |  |




| Ice Hammer |          |
|------------|----------|
|            | PRICE    |
| 2 kg       | 1216/163 |




| Nylonsheaves    |            |          |
|-----------------|------------|----------|
| For Ships Block | (DIAM. mm) | PRICE    |
| 3"              | 40         | 38/4,0   |
| 3,5"            | 48         | 43/4,5   |
| 4"              | 53         | 63/8,5   |
| 4,5"            | 63         | 72/9,5   |
| 5"              | 75         | 87/11,0  |
| 6"              | 88         | 135/18,0 |
| 7"              | 102        | 162/21,0 |
| 8"              | 120        | 193/26,0 |
| 9"              | 135        | 216/29,0 |
| 10"             | 155        | 246/33,0 |



| Fids        |            |
|-------------|------------|
|             | PRICE      |
| 8" x 1"     | 122/16,5   |
| 10" x 1,5"  | 205/27,5   |
| 12" x 2"    | 298/40,0   |
| 14" x 2,5"  | 417/56,0   |
| 16" x 3"    | 562/75,5   |
| 18" x 3,25" | 700/94,0   |
| 20" x 3,5"  | 805/108,0  |
| 22" x 3,75" | 910/122,0  |
| 24" x 4"    | 1020/137,0 |



| Serving Mallet | s           |                  |            |
|----------------|-------------|------------------|------------|
| LENGHT<br>(A)  | DIAM<br>(B) | GROOVE HEAD (mm) | PRICE      |
| 3,25"          | 0,25"       | 10               | 1291/173,0 |
| 4"             | 1,5"        | 14               | 1357/181,5 |
| 6"             | 1,75"       | 20               | 1733/232,0 |
| 8"             | 2,25"       | 25               | 2305/309,0 |
| 10"            | 2,75"       | 30               | 2860/383,0 |





| Thimble Kovs Galvanized For Block |          |
|-----------------------------------|----------|
|                                   | PRICE    |
| 3"                                | 45/6,0   |
| 3,5"                              | 45/6,0   |
| 4"                                | 46/6,0   |
| 4,5"                              | 46/6,0   |
| 5"                                | 47/7,0   |
| 6"                                | 53/8,0   |
| 7"                                | 66/9,0   |
| 8"                                | 68/9,0   |
| 9"                                | 70/9,5   |
| 10"                               | 83/11,0  |
| 12"                               | 105/14,0 |



| Mast hoop |          |     |            |
|-----------|----------|-----|------------|
|           | PRICE    |     | PRICE      |
| 5"        | 483/65,0 | 15" | 776/104,0  |
| 6"        | 508/68,0 | 16" | 792/106,0  |
| 7"        | 534/71,5 | 17" | 830/111,5  |
| 8"        | 561/75,0 | 18" | 856/115,0  |
| 9"        | 589/79,0 | 19" | 876/117,5  |
| 10"       | 623/83,5 | 20" | 916/123,0  |
| 11"       | 631/84,5 | 21" | 989/132,5  |
| 12"       | 682/91,5 | 22" | 1098/147,0 |
| 13"       | 703/94,0 | 24" | 1208/162,0 |
| 14"       | 738/99,0 |     |            |



| Calking Irons |           |
|---------------|-----------|
| SIZE          | PRICE     |
| 1/32"         | 810/108,5 |
| 1/16"         | 730/98,0  |
| 1/8"          | 749/100,0 |
| 3/16"         | 749/100,0 |
| 1/4"          | 746/100,0 |
| 5/16"         | 794/106,5 |



| Reefing Hooks - god for planks up to 2,5" |        |  |
|---|--------|--|
| SIZE                                      | PRICE  |  |
| 12"                                       | 612/82 |  |
| 14"                                       | 636/85 |  |



### Terms of sale and delivery

PRICES: All prices are DKK excl. VAT. Prices are subject to change without previous notice.

DELIVERY: Ex. Works

PAYMENT: Net cash, if no other agreement has been made. In case of delay in payment

an interest of presently 1,5 percent will automatically be charged at the start of each additional month plus a charged for each reminder of DKK 100,00 will be added.

SERVICE CHARGE: A service charge of DKK 50,00 will be added to all orders worth less than DKK 500,00

All prices does not include VAT and shipping. MaritimeWoodcraft reserves the right to change the prices and is not responsible for any printing errors.

This catalougue has been prepared in cooperation between MaritimeWoodcraft and HCC Boatyard K/S.